



Dr. William S. Vaughan
The Ohio State University
Office for Technology Licensing
200 Research Foundation
1960 Kenny Road
Columbus, Ohio 43210-1063

495 Metro Place South
Suite 210
Dublin, Ohio 43017-5319
Telephone (614) 792-5555
Fax (614) 792-5536

RECEIVED

AUG 13 2003

Technology Center 2600

RE: U.S. Patent Application Serial No. 09/903,916, filed July 12, 2001
Entitled: CARBON MONOXIDE SENSOR AND METHOD OF USE
Inventor: Prabir K. Dutta et al.
Our reference: OSU1159-144
OSU ID #: 01ID53F

Dear Will:

Enclosed for your file is a copy of the:

Assignment

Response to Notice to Filing Missing Parts

Response to Invitation to Correct Defects

Response to Office Action

Information Disclosure Statement/PTO-1449/References

which has been filed in the above-captioned matter.

Very truly yours,

Sheri L. Burke, Paralegal

/slb

Enclosure

cc: Dr. Prabir K. Dutta
Dr. Scott L. Swartz
Dr. Christopher T. Holt
Dr. Ramachandra Rao Ravur
Jeffrey S. Standley, Esq.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attorney OSU 1159-144
Docket:
Examiner: Trieu
Art Unit: 2632
RECEIVED
AUG 13 2003
Technology Center 2

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8 (A)

Date of Deposit: August 7, 2003

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to Mail Stop AF, Commissioner for Patents, Alexandria, VA 22313-1450.

Stop AF, Commissioner for Patents,
Sheri L Burke
SHERI L. BURKE

AMENDMENT AND REMARKS UNDER
37 CFR §§ 1.113 AND 1.121

Sir:

In response to the Examiner's Official Action mailed June 10, 2003, Applicants respectfully request that the Examiner enter the following Amendment and consider the following Remarks. Applicants respectfully request that the Examiner reconsider and again examine the present application and claims in light thereof.